

References

- Ass Faunisti Veneti, 2004. Atlante faunistico della Provincia di Venezia. Provincia di Venezia - Associazione Faunisti Veneti, Castrocielo (FR).
- Allesina, S., Bondavalli, C., 2004. WAND: an ecological network analysis user-friendly tool. *Environ. Model. Softw.* 19, 337-340.
- Autorità di bacino dell'Adige, Autorità di bacino dei fiumi Isonzo Tagliamento Livenza Piave Brenta-Bacchiglione, Ministero dell'Ambiente e Tutela del Territorio e del Mare, Regione Lombardia, Regione Veneto, Regione Autonoma Friuli Venezia Giulia, Provincia Autonoma di Bolzano, Provincia autonoma di Trento, Magistrato alle acque, ISPRA, Ufficio di Piano, 2010. Subunità idrografica bacino scolante, laguna di Venezia e mare antistante - Piano di Gestione, Piano di Gestione dei bacini idrografici delle Alpi Orientali.
- Belgrano, A., Scharler, U.M., Dunne, J., Ulanowicz, R.E., 2005. *Aquatic Food Webs: an Ecosystem Approach*. Oxford University Press, Oxford.
- Boatto, V., Pellizzato, M., 2005. *La Filiera Della Vongola Tapes philippinarum in Italia*. Franco Angeli Ed., Milano.
- Borja, A., Heinrich, H., 2005. Implementing the european water framework directive: the debate continues. *Mar. Pollut. Bull.* 50, 486-488.
- Borja, A., Elliott, M., 2007. What does 'good ecological potential' mean, within the European water framework directive? *Mar. Pollut. Bull.* 54, 1559-1564.
- Borja, A., Elliott, M., Henriksen, P., Marbà, N., 2012. Transitional and coastal waters ecological status assessment: advances and challenges resulting from implementing the European Water Framework Directive. *Hydrobiologia* 704, 213- 229.
- Borja, A., Galparsoro, I., Irigoien, X., Iriondo, A., MENCHACA, I., Muxika, I., Zorita, I., 2011. Implementation of the European Marine Strategy Framework Directive: a methodological approach for the assessment of environmental status, from the Basque Country (Bay of Biscay). *Mar. Pollut. Bull.* 62, 889-904.
- Brigolin, D., Savenkoff, C., Zucchetta, M., Pranovi, F., Franzoi, P., Torricelli, P., Pastres, R., 2011. Inverse analysis of the structure of the Venice lagoon ecosystem. *Ecol. Model.* 222, 2404-2413.
- Cesari, P., Pellizzato, M., 1985. Molluschi pervenuti in Laguna di Venezia per apporti volontari o casuali. Acclimatazione di *Saccostera commercialis* (Iredale and Roughely, 1933) e di *Ruditapes philippinarum* (Adams & Reeve, 1850). *Boll. Malacol.* 21, 237-274.
- Clarke, R.T., 2012. Estimating confidence of European WFD ecological status class and WISER Bioassessment Uncertainty Guidance Software (WISERBUGS). *Hydrobiologia* 704, 39-56.
- COST ACTION ES0906. <http://www.seagrassproductivity.com>. (Last accessed on 30.07.13.).
- Cucco, A., Umgiesser, G., 2006. Modeling the Venice lagoon residence time. *Ecol. Model.* 193, 34-51.

- Cury, P., Shannon, L.J., Shin, Y.-J., 2003. The functioning of marine ecosystems: a fisheries perspective. In: Sinclair, M., Valdimarsson, G. (Eds.), *Responsible Fisheries in the Marine Ecosystem*. CAB International, Wallingford, pp. 103-123.
- Day, J.W., Rybczyk, J., Scarton, F., Rismondo, A., Are, D., Cecconi, G., 1999. Soil accretionary dynamics, sea-level rise and the survival of wetlands in Venice Lagoon: a field and modelling approach. *Estuar. Coast. Shelf Sci.* 49, 607-628.
- Duffy, J.E., 2006. Biodiversity and the functioning of seagrass ecosystems. *Mar. Ecol. Prog. Ser.* 311, 233-250.
- European Community, 2000. Directive 2000/60/EC of the European Parliament and of the Council of 23 October 2000 establishing a framework for community action in the field of water policy. *Off. J. Eur. Commun.* L327 (Bruxelles).
- European Community, 2008. Directive 2008/56/EC of the European Parliament and of the Council of 17 June 2008 establishing a framework for community action in the field of Marine environmental policy (Marine strategy framework directive). *Off. J. Eur. Union* L164 (Bruxelles).
- Finn, J.T., 1976. Measures of ecosystem structure and function derived from analysis of flows. *J. Theor. Biol.* 56, 363-380.
- Franco, A., Franzoi, P., Malavasi, S., Riccato, F., Torricelli, P., Mainardi, D., 2006. Use of shallow water habitats by fish assemblages in a Mediterranean coastal lagoon. *Estuar. Coast. Shelf Sci.* 66, 67-83.
- Franzoi, P., Maio, G., Pellizzato, M., Zucchetta, M., Franco, A., Georgalas, V., Fiorin, R., Riccato, F., Buratto, T., Rossi, R., Torricelli, P., 2005. Messa a punto di metodologie innovative applicabili alla valutazione del novellame da allevamento. Nuovi metodi ecologici per la valutazione del reclutamento e della distribuzione del novellame di orata, spigola e mugilidi ai fini della gestione sostenibile di ecosistemi lagunari. Ministero per le politiche agricole e forestali - Direzione Generale della Pesca e dell'Acquacoltura - VI Piano Triennale della pesca e dell'acquacoltura in acque marine e salmastre.
- Fulton, E.A., Fuller, M., Smith, A.D.M., Punt, A.E., 2005. *Ecological Indicators of the Ecosystem Effects of Fishing: Final Report*. Australian Fisheries Management Authority. Report, R99/1546.

- Fulton, E.A., Smith, A.D.M., Smith, D.C., 2007. Alternative Management Strategies for Southeast Australian Commonwealth Fisheries: Stage 2: Quantitative Management Strategy Evaluation. Australian Fisheries Management Authority. Report.
- Gaat, M., Kovatevit, V., Mancero Mosquera, I., Mazzoldi, A., Cosoli, S., 2005. Water fluxes between the Venice Lagoon and the Adriatic Sea. In: Fletcher, C.A., Spencer, T. (Eds.), *Flooding and Environmental Challenges for Venice and its Lagoon: State of Knowledge*. Cambridge University Press, Cambridge, pp. 431-444.
- Goerner, S.J., Lietaer, B., Ulanowicz, R.E., 2009. Quantifying economic sustainability: Implications for free-enterprise theory, policy and practice. *Ecol. Econ.* 69, 76- 81.
- G.R.A.L., 2009. Adeguamento del Piano d'uso sostenibile delle aree in concessione per venericoltura (in Italian).
- Hering, D., Borja, A., Carstensen, J., Carvalho, L., Elliott, M., Feld, C.K., Van de Bund, W., 2010. The European Water Framework Directive at the age of 10: a critical review of the achievements with recommendations for the future. *Sci. Total Environ.* 408, 4007-4019.
- Hosak, G.R., Eldridge, P.M., 2009. Do microbial processes regulate the stability of a coral atoll's enclosed pelagic ecosystem? *Ecol. Model.* 220, 2665-2682.
- Hovel, K.A., Fonseca, M.S., Myer, D.L., Kenworthy, W.J., Whitfield, P.E., 2002. Effects of seagrass landscape structure, structural complexity and hydrodynamic regime on macrofaunal densities in North Carolina seagrass beds. *Mar. Ecol. Prog. Ser.* 243, 11-24.
- Ims, R.A., 2005. The role of experiments in landscape ecology. In: Wiens, J.A., Moss, M.R. (Eds.), *Issues and Perspectives in Landscape Ecology*. Cambridge University Press, UK, pp. 70-78.
- Jantzen, C., Schmidt, G.M., Wild, C., Roder, C., Khokiattiwong, S., Richter, C., 2013. Benthic reef primary production in response to large amplitude internal waves at the Similan Islands (Andaman sea, Thailand). *Plos One* 8, e81834. [http:// dx.doi.org/10.1371/journal.pone.0081834](http://dx.doi.org/10.1371/journal.pone.0081834).
- Kones, J.K., Soetaert, K., van Oevelen, D., Owino, J.O., 2009. Are network indices robust indicators of food web functioning? A Monte Carlo approach. *Ecol. Model.* 220, 370-382.
- Libralato, S., Pastres, R., Pranovi, F., Raicevich, S., Granzotto, A., Giovanardi, O., Torricelli, P., 2002. Comparison between the energy flow networks of two habitats in the Venice Lagoon. *Mar. Ecol. PSZN* 23, 228-236.
- Lohrer, A.M., Thrush, S.F., Gibbs, M.M., 2004. Bioturbators enhance ecosystem function through complex biogeochemical interactions. *Nature* 431, 1092-1095.
- McCann, K.S., Rooney, N., 2009. The more food webs change the more they stay the same. *Phil. Trans. Royal Soc. B* 364, 1789-1801.
- McLeod, K.L., Lubchenco, J., Palumbi, S.R., Rosenberg, A.A., 2005. Scientific Consensus Statement on Marine Ecosystem-based Management Signed by 221 Academic Scientists and Policy Experts with Relevant Expertise and Published by the Communication Partnership for Science and the Sea.

- Miller, F., 1997. State-of-the-art in ecosystem theory. *Ecol. Model.* 100, 135-161. Pérez-Ruzafa, A., Marcosdiego, C., Ros, J.D., 1991. Environmental and biological changes related to recent human activities in the Mar Menor (SE of Spain). *Mar. Pollut. Bull.* 23, 747-751.
- Pérez-Ruzafa, A., Marcos, C., Pérez-Ruzafa, I.M., Barcala, E., Hegazi, M.I., Quispe, J., 2007. Detecting changes resulting from human pressure in a naturally quick-changing and heterogeneous environment: spatial and temporal scales of variability in coastal lagoons. *Estuar. Coast. Shelf Sci.* 75, 175-188.
- Pranovi, F., Libralato, S., Raicevich, S., Granzotto, A., Pastres, R., Giovanardi, O., 2003. Mechanical clam dredging in Venice Lagoon: ecosystem effects evaluated with a trophic mass-balance model. *Mar. Biol.* 143, 393-403.
- Pranovi, F., Da Ponte, F., Raicevich, S., Giovanardi, O., 2004. A multidisciplinary study of the immediate effects of mechanical clam-harvesting in the Venice Lagoon. *ICES J. Mar. Sci.* 61, 43-52.
- Pranovi, F., Franceschini, G., Casale, M., Zucchetto, M., Giovanardi, O., Torricelli, P., 2006. An ecological imbalance induced by a non-native species: the Manila clam in the Venice Lagoon. *Biol. Invasion* 8, 595-609.
- Pranovi, F., Da Ponte, F., Torricelli, P., 2008. Historical changes in the structure and functioning of the benthic community in the lagoon of Venice. *Estuar. Coast. Shelf Sci.* 76, 753-764.
- Pranovi, F., Sarà, G., Franzoi, P., 2013a. Valuing the unmarketable: an ecological approach to the externalities estimate in fishing activities. *Sustainability* 5, 643-653.
- Pranovi, F., Caccin, A., Franzoi, P., Malavasi, S., Zucchetto, M., Torricelli, P., 2013b. Vulnerability of artisanal fisheries to climate change in the Venice lagoon. *J. Fish. Biol.* <http://dx.doi.org/10.1111/jfb.12124>.
- Province of Venice, 2009. Piano per la gestione delle risorse alieutiche delle lagune di Venezia e Caorle. Dosson di Casier, Treviso (in Italian).
- Raffaelli, D., 2006. Biodiversity and ecosystem functioning: issues of scale and trophic complexity. *Mar. Ecol. Prog. Ser.* 311, 285-294.
- Ravera, O., 2000. The lagoon of Venice: the result of both natural factors and human influence. *J. Limnol.* 59, 9-30.
- Renton, M., Airey, M., Cambridge, M.L., Kendrick, G.A., 2011. Modelling seagrass growth and development to evaluate transplanting strategies for restoration. *Ann. Bot.* 108, 1213-1223.
- Rooney, N., McCaan, K.S., Moore, J.C., 2008. A landscape theory for food web architecture. *Ecol. Lett.* 11, 867-881.
- Rosberg, A.G., Borges, A.F., Fung, T., Greenstreet, S.P.R., Haynes, P., Kenchington, E.L.R., Lindeboom, H., Rombouts, I., Shephard, S., van der Meeren, G.I., Reid, D.G., 2012. Setting the Stage for Improved

Marine Strategy Framework Directive Foodweb Indicators. ICES CM 2012/G:02.

Rombouts, I., Beaugrand, G., Fizzala, X., Gaill, F., Greenstreet, S.P.R., Lamare, S., Le Loc'h, F., McQuatters-Gollop, A., Mialet, B., Niquil, N., Percelay, J., Renaud, F., Rossberg, A.G., Féral, J.P., 2013. Food web indicators under the Marine Strategy Framework Directive: from complexity to simplicity? *Ecol. Indic.* 29, 246-254.

Sandin, P., 2005. Naturalness and de minimise risk. *Environ. Ethics* 27, 191-200.

Sarretta, A., Pillon, S., Molinaroli, E., Guerzoni, S., Fontolan, G., 2010. Sediment budget in the Lagoon of Venice, Italy. *Cont. Shelf Res.* 30, 934-949.

Savenkoff, C., Castonguay, M., Vézina, A.F., Despatie, S.-P., Chabot, D., Morissette, L., Hammill, M.O., 2004. Inverse modelling of trophic flows through an entire ecosystem: the northern Gulf of St. Lawrence in the mid-1980s. *Can. J. Fish. Aquat. Sci.* 61, 2194-2214.

Sfriso, A., Facca, C., Ghetti, P.F., 2003. Temporal and spatial changes of macroalgae and phytoplankton in a Mediterranean coastal area: the Venice lagoon as a study case. *Mar. Environ. Res.* 56, 617-636.

Sfriso, A., Facca, C., 2007. Distribution and production of macrophytes in the Lagoon of Venice.

Comparison of actual and past abundance. *Hydrobiologia* 577, 71-85. Sfriso, A., Facca, C., Marcomini, A.,

2005. Sedimentation rates and erosion processes in the lagoon of Venice. *Environ. Int.* 31, 983-992.

Solidoro, C., Bandelj, V., Bernardy Aubry, F., Camatti, E., Ciavatta, S., Cossarini, G., Facca, C., Franzoi, P., Libralato, S., Melaku Canu, D., Pastres, R., Pranovi, F., Raicevich, S., Socal, G., Sfriso, A., Sigovini, M., Tagliapietra, D., Torricelli, P., 2010. Response of the Venice lagoon ecosystem to natural and anthropogenic pressures over the last 50 years. In: Kennish, M.J., Paerl, H.W. (Eds.), *Coastal Lagoons, Critical Habitats of Environmental Change*. CRC Press, pp. 483-511.

Sondergaard, M., Jeppesen, E., Jensen, J.P., Amsinck, S.L., 2005. Water framework directive: ecological classification of danish lakes. *J. Appl. Ecol.* 42, 616-629.

Steenbeek, J., Coll, M., Gurney, L., Mélin, F., Hoepffner, N., Buszowski, J., Christensen, V., 2013. Bridging the gap between ecosystem modeling tools and geographic information systems: driving a food web model with external spatial-temporal data. *Ecol. Model.* 263, 139-151.

Tagliapietra, D., Sigovini, M., Volpi Ghirardini, A., 2009. A review of terms and definitions to categorize estuaries, lagoons and associated environments. *Mar. Freshw. Res.* 60, 497-509.

Tagliapietra, D., Zanon, V., Frangipane, G., Umgieser, G., Sigovini, M., 2011. Physiographic zoning of the Venetian Lagoon. In: Campostrini, P. (Ed.), *Scientific Research and Safeguarding of Venice, 2007-2010 Results*, vol. VII. CORILA, Venezia, pp. 161-164.

Tueros, I., Borja, A., Larreta, J., Rodriguez, J.G., Valencia, V., Millan, E., 2009. Integrating long-term water and sediment pollution data, in assessing chemical status within the European Water Framework Directive.

Mar. Pollut. Bull. 58, 1389-1400

- Ulanowicz, R.E., 2004. Quantitative methods for ecological network analysis. *Comput. Biol. Chem.* 28, 321-339.
- UNEP/MAP/PAP, 18 January 2008. Report of the 15th Ordinary Meeting of the Contracting Parties to the Convention for the Protection of the Marine Environment and the Coastal Region of the Mediterranean and its Protocols. UNEP(DEPI)/MED IG.17/10.
- Van den Meersche, K., Soetaert, K., Van Oevelen, D., 2009. `xsample()`: an R function for sampling linear inverse problems. *J. Stat. Softw.* 30, 1-15.
- Vézina, A.F., Platt, T., 1988. Food web dynamics in the ocean. I. Best-estimates of flow networks using inverse methods. *Mar. Ecol. Prog. Ser.* 42, 269-287.
- Vincenzi, S., Zucchetta, M., Franzoi, P., Pellizzato, M., Pranovi, F., De Leo, G., Torricelli, P., 2011. Application of random forest algorithm to predict spatial distribution of the potential yield of *Ruditapes philippinarum* in the Venice lagoon, Italy. *Ecol. Model.* 222, 1471-1478.
- Walters, C., Pauly, D., Christensen, V., 1999. Ecospace: prediction of mesoscale spatial patterns in trophic relationships of exploited ecosystems, with emphasis on the impacts of marine protected areas. *Ecosystems* 2, 539-554.
- Yeager, L.A., Layman, C.A., Allgeier, J.E., 2011. Effects of habitat heterogeneity at multiple spatial scales on fish community assembly. *Oecologia* 167, 157-168.

