

























- [14] Goodfellow Cambridge Ltd, UK. Online catalogue (material properties) at <http://www.goodfellow.com>; accessed August 2013.
- [15] Alves ALS, Nascimento LFC, Suarez JCM. Influence of weathering and gamma irradiation on the mechanical and ballistic behavior of UHMWPE composite armor. *Polym Test* 2005; 24(1):104-113.
- [16] Tissington B, Pollard G, Ward IM. A study of the influence of fiber resin adhesion on the mechanical behaviour of ultra-high-modulus polyethylene fiber composites. *J Mater Sci* 1991; 26(1):82-92.
- [17] Silverstein MS, Breuer O. Mechanical properties and failure of etched UHMW PE fibers. *J Mater Sci* 1993; 28(15):4153-4158.
- [18] Kakiage M, Tamura T, Murakami S, Takahashi H, Yamanobe T, Uehara H. Hierarchical constraint distribution of ultra-high molecular weight polyethylene fibers with different preparation methods. *J Mater Sci* 2010; 45(10):2574-2579.
- [19] Abo El-Maaty MI, Olley RH, Bassett DC. On the internal morphologies of high-modulus polyethylene and polypropylene fibres. *J Mater Sci* 1999; 34:1975-1989.
- [20] Riekel C, Cedola A, Heidelberg F, Wagner K. Microdiffraction experiments on single polymeric fibers by synchrotron radiation. *Macromol* 1997; 30:1033-1037.
- [21] Pang JWC, Lamin BM, Fancey KS. Force measurement from viscoelastically recovering Nylon 6,6 fibres. *Mater Lett* 2008; 62(10-11):1693-1696.
- [22] Costa L, Luda MP, Trossarelli L. Ultra high molecular weight polyethylene – II. Thermal and photo-oxidation. *Polym Degrad Stab* 1997; 58:41-54.
- [23] Jacobson K. Oxidation of ultra high molecular weight polyethylene (UHMWPE) part 1: Interpretation of the chemiluminescence curve recorded during thermal oxidation. *Polym Degrad Stab* 2006; 91:2126-2132.
- [24] Berger L, Kausch HH, Plummer CJG. Structure and deformation mechanisms in UHMWPE fibres. *Polymer* 2003; 44(19):5877-5884.