# **RESEARCH ARTICLE**

# Economic evaluation of CPD activities for healthcare professionals: A scoping review

Witold Orlik<sup>1</sup> | Giuseppe Aleo<sup>1</sup> | Thomas Kearns<sup>1</sup> | Jonathan Briody<sup>2</sup> | Jane Wray<sup>3</sup> | Paul Mahon<sup>1</sup> | Mario Gazić<sup>4</sup> | Normela Radoš<sup>4</sup> | Cristina García Vivar<sup>5</sup> | Manuel Lillo Crespo<sup>6</sup> | Catherine Fitzgerald<sup>1</sup>

<sup>1</sup>Faculty of Nursing and Midwifery, Royal College of Surgeons in Ireland, Dublin, Ireland

<sup>2</sup>Division of Population Health Sciences, Data Science Centre, Royal College of Surgeons in Ireland, Dublin, Ireland

<sup>3</sup>Faculty of Health Sciences, University of Hull, Hull, UK

<sup>4</sup>Croatian Nursing Council, Zagreb, Croatia

<sup>5</sup>Department of Health Sciences, Public University of Navarra, Pamplona, Spain

<sup>6</sup>Faculty of Health Sciences, University of Alicante, Alicante, Spain

#### Correspondence

Witold Orlik, Faculty of Nursing and Midwifery, Royal College of Surgeons in Ireland; 123 St Stephen's Green, Dublin 2, D02 YN77, Ireland. Email: witoldorlik@rcsi.com

# Abstract

**Context:** Continuing professional development (CPD) activities for healthcare professionals are central to the optimisation of patient safety and person-centred care. Although there is some evidence on the economics of healthcare professionals training, very little is known about the costs and benefits of CPD.

**Methods:** This study aimed to review the research evidence on economic evaluations of CPD activities for healthcare professionals. CINAHL, MEDLINE/PubMed, Scopus, Econlit and Web of Science databases were used to identify articles published between 2010 and 2021.

**Results:** Of the 6791 titles identified, 119 articles met the inclusion criteria and were included in this scoping review. The majority of articles were partial economic evaluations of CPD programmes (n = 70); half were from the USA. Studies that included multiple professions were most prevalent (n = 54), followed by nurses (n = 34) and doctors (n = 23). Patient outcomes were the most commonly reported outcome (n = 51), followed by change in clinical practice (n = 38) and healthcare professionals' knowledge gain (n = 19).

**Conclusions:** There is an urgent call for more evidence regarding the economic evaluations of CPD. This is particularly important in view of the rising costs of healthcare globally. The majority of studies included in this review did not provide detailed information on the evaluations and many focused exclusively on the cost of CPD activities rather than outcomes.

# 1 | INTRODUCTION

Continuing professional development (CPD) is essential for healthcare professionals to deliver high-quality and safe person-centred care, amidst ever-changing health systems across the globe. The World Health Organization (WHO) cited a skilled workforce as the cornerstone of a healthy nation and supported the need to expand transformative, high-quality education and life-long learning for all healthcare workers.<sup>1</sup> A coordinated approach is needed to determine how CPD programmes and activities can address workforce planning and the recruitment and retention of healthcare workers. This approach supports strategies to confront the current global recruitment and retention crisis of healthcare workers to achieve a quality healthcare system for all people. Evaluation of CPD activities is an

1

This is an open access article under the terms of the Creative Commons Attribution-NonCommercial-NoDerivs License, which permits use and distribution in any medium, provided the original work is properly cited, the use is non-commercial and no modifications or adaptations are made. © 2022 The Authors. *Medical Education* published by Association for the Study of Medical Education and John Wiley & Sons Ltd.

essential part of the programme measuring whether and to what extent they improve the delivery of high quality, safe person-centred care. CPD activities should be able to demonstrate the sustainability and efficiency of the programme. While there is limited data on the economic cost of training health professionals,<sup>2,3</sup> very little is known about the economic cost and cost-effectiveness of providing CPD to healthcare professionals.

Economic evaluations can provide useful information to those making decisions about the allocation of limited health care resources. In particular, economic evaluations can be used to identify interventions that are vital to the health service (health professionals, organisations and patients) and those that provide little benefit given the resources required. The ultimate test of an economic evaluation is whether it leads to better decisions in the presence of uncertainty and results in the more efficient and effective use of limited healthcare resources.<sup>4</sup> There is an important role for economic evaluations in priority setting in health care decision-making. This includes assessing the cost-effectiveness of CPD activities for healthcare professionals. Consequently, an economic evaluation of CPD activities can be used to maximise the benefits from health care spending in this area and to contain costs and manage the needs of the health service.<sup>5</sup>

Information regarding the economic costs associated with the various educational methods used to deliver CPD programmes informs decisions and choices about CPD activities for healthcare professionals, healthcare organisations as funders and educational institutions that provide CPD. Such knowledge informs the sustainability and efficiency of CPD activities. These are challenging times for healthcare delivery with economic constraints and workforce shortages. Thus, it is essential that sustainable and efficient CPD is a fundamental part of the healthcare service. Despite calls for increased economic accountability in health professional education,<sup>6,7</sup> economic evaluations of CPD remain a challenge with a limited number of published studies in this field.<sup>8,9</sup>

A review of the literature on the cost-effectiveness of CPD in health care found a minimal number of published studies (n = 9).<sup>8</sup> It was concluded that more cost-effectiveness studies were urgently required and that there was a need for greater attention to ensure that methods of evaluation and analysis are reported appropriately. Another recent systematic review focused on methods and reporting quality of cost evaluations in health professions education.<sup>10</sup> Trends over time by sampling research reports at 5-year intervals (2001, 2006, 2011 and 2016) were examined. Seventy-eight studies were included in the final review, which included an evaluation of undergraduate, post-graduate and CPD education. Of these studies, 36 were categorised as relating to CPD, five studies in 2001, nine in 2006, 11 in 2011 and 11 in 2016. Findings from this study would indicate that there has been an increase in published studies in this field since 2002.<sup>8</sup> However, it was found that there were reporting deficiencies and that appropriate methods of evaluation and analysis continue to be lacking.<sup>10</sup>

A preliminary search for existing scoping reviews and systematic reviews on economic evaluation of CPD was conducted; none were found. Therefore, this scoping review aims to collate the body of evidence available on economic evaluations of CPD and identify gaps in knowledge found in the literature to better guide future research.

# 2 | METHODS

Scoping reviews have become an increasingly popular approach to explore and appraise healthcare research evidence.<sup>11</sup> Especially, if the scope of the research is complex and has not been previously investigated.<sup>12</sup> Scoping reviews allow for quick identification of sources and types of evidence to pinpoint key elements relating to the area of interest.<sup>12</sup> It was suggested that a scoping review was an appropriate tool to address the review questions. The following questions were addressed: What is the scale of research evidence on economic evaluations of CPD activities for healthcare professionals? Which health professions have been included? What types of economic evaluations were utilised? Answering these core questions will help to map the evidence base and identify areas appropriate for further research or systematic review and inform readers on the current state of research on economic evaluations of CPD activities.

For this scoping review, we used the definition of CPD introduced by the Executive Agency for Health Consumers, 2013– 'Systematic maintenance, improvement and continuous acquisition and/or reinforcement of the life-long knowledge, skills and competencies of health professionals. It is pivotal to meeting patient, health service delivery and individual professional learning needs. The term acknowl-edges not only the wide ranging competencies needed to practice high quality care delivery but also the multi-disciplinary context of patient care'.<sup>13</sup>

#### 2.1 | Criteria for selection of articles

Inclusion and exclusion criteria were developed based on the aims of the review and research questions.

#### 2.1.1 | Inclusion criteria

Studies were included in the review on the following basis:

- a. year of publication, from 2010 to 2021;
- b. studies published in the English language only;
- c. the following healthcare professions were included: (nurses, doctors, allied health professionals, dentists.).
- all CPD activities that included an education or training component.
- e. economic evaluations included:
  - Full economic evaluation (FEE) studies—the comparative analysis of alternative courses of action in terms of both costs (resource use) and consequences (outcomes, effects).<sup>14</sup> Costbenefit analysis (CBA), cost-effectiveness analysis (CEA) and

cost-utility analysis (CUA). They aimed to produce measures of incremental resource use, costs and cost-effectiveness.

- Partial economic evaluation (PEE) studies—without explicit comparisons between alternative interventions in terms of both costs (resource use) and consequences (effects). These included cost analyses, cost-description studies and cost-outcome descriptions.
- f. manuscript type: original research studies published in peerreviewed journals investigating CPD activities, with or without a comparison between interventions or activities. All research studies were included that met the inclusion criteria, regardless of the study design.

# 2.1.2 | Exclusion criteria

Students undertaking undergraduate and post-graduate education, for example, residency training programmes, bachelor degree, master degree, post-graduate diploma or PhD were excluded. Conference abstracts, books, editorials, commentary-style articles and systematic reviews were excluded from the study.

# 2.2 | Search strategy

The scoping review included peer-reviewed primary research articles that were retrieved from the following electronic databases: Cumulative Index to Nursing and Allied Health Literature (CINAHL), MEDLINE/PubMed, Scopus, Econlit and Web of Science. Reference lists of reviews found through the electronic search were checked to ensure that relevant articles were included. The team used an iterative process to identify key search terms. The search terms were kept broad, resulting in many irrelevant studies having to be eliminated in the study selection stage. An academic librarian advised on the most appropriate Medical Subject Headings (MeSH) terms for the search and how to modify them for the different databases. The following MeSH terms were used: health professions (nurse OR doctor OR physician OR physio), economics (costs and cost analysis [CA] OR CBA OR cost-effectiveness OR return on investment) and continuing education (professional education OR continuing professional development OR professional development OR staff development OR continuing education OR continuing medical education). Based on this exploratory, scoping phase, the search strings for each database were finalised. Articles were retrieved from each database and imported into a reference management software tool (EndNote).

# 2.3 | Data extraction

A data-charting table was used to extract the data from the final selected sources (full text articles included in the scoping review). The charting of results was an iterative process whereby the data-charting table was continuously updated so additional data could be amended or added. The data-charting table was piloted by two members of the research team (WO, CF). Two or three selected sources were used to trial the data-charting table to ensure all the relevant results were extracted. The following data were extracted from the full text articles to be included in the data-charting table: author(s) names and journal related details, year of publication, title, country, population, educational intervention, study outcomes, outcome categories and economic evaluation details (see supporting information). The methodological quality of the studies was not appraised as the aim of this scoping review was to provide an overview of the existing evidence on economic evaluations of CPD activities for healthcare professionals.<sup>15</sup>

## 3 | RESULTS

#### 3.1 | Selection of sources of evidence

As a result of the databases search, 6791 research records were found. Subsequently, the duplicates were removed (n = 664) and two authors (WO and CF) independently screened titles, abstracts and keywords of the remaining articles (n = 6127) to exclude those that did not meet the inclusion criteria. Consequently, 5815 articles were removed, leaving 312 research items to be downloaded as full texts. Disagreements about study eligibility were discussed between the two reviewers until consensus was reached. The reference lists of the included articles were also reviewed for additional papers; 119 articles were included in the final review. The process of study selection was reported using Preferred Reporting Items for Systematic Reviews and Meta-Analyses flow chart (Figure 1).

#### 3.2 | Characteristics of sources of evidence

#### 3.2.1 | Year/geographical location

The highest number of studies was for 2011 (n = 18), followed by 2016 (n = 14) and 2013 (n = 13). The lowest number of studies was for 2019 (n = 5), followed by 2014 (n = 6) and 2017, 2018 and 2020 with an equal volume of studies (n = 8). Half of the included studies were from the USA (n = 59), followed by UK (n = 19) and Australia (n = 7); see Table 1. Studies that included multiple professions were most prevalent (n = 54), followed by nurses (n = 34) and doctors (n = 23). Other professions (e.g. midwives and dentists) were represented in the remaining eight studies (Table 2).

# 3.2.2 | Studies' outcomes

The outcomes of each study (endpoints resulting from CPD activities) were categorised into five main categories: patient outcomes, practice/behaviour change, healthcare professionals' knowledge gain, education related and healthcare professionals' personal health and



safety (Table 3). Patient outcomes were the most commonly reported outcome (n = 51). Within this category, the subcategory 'improved clinical outcomes' was the most frequently reported (n = 19). Another category of the study outcomes was practice/behaviour change (n = 38), and the highest subcategory was medication management (n = 16). The third, most prevalent category of outcomes was healthcare professionals knowledge gain (n = 19).

#### 3.3 | Economic evaluations

#### 3.3.1 | FEEs

Economic evaluations were classified into two main categories: FEEs and PEEs, Table 4. Among studies with FEE (n = 50), costeffectiveness studies (n = 35) were the most prevalent approach to examine the costs and outcomes of CPD activities, followed by studies with cost-benefit (n = 8) and cost-minimisation approaches (n = 6). In CEA studies, costs are expressed in monetary units, for example, dollars or euros, whereas benefits are expressed in nonmonetary, natural units, for example, quality-adjusted life years (QALYs) or knowledge gain.<sup>16</sup> A study in Malawi on an orthopaedic clinical officer training programme to improve musculoskeletal care reported the cost-effectiveness of the programme.<sup>17</sup> It was established that the average cost for each hospital was US\$138.75 (95% CI: US\$69.58-207.91) per one disability-adjusted life year (DALY). In a study on reducing glycaemic episodes among patients with type 2 diabetes, it was established that the Diabetes Management Education Programme for healthcare staff was cost-effective when compared with standard care. A cost of 43 Australian dollars resulted in 1 day of glycaemic symptoms avoided.<sup>18</sup>

In cost-benefit analysis studies, both costs and benefits are expressed in monetary units.<sup>16</sup> A study on the safety of patient handling and its impact on medical staff injuries (n = 55 health professionals; USA) reported financial gains obtained after implementing an educational intervention.<sup>19</sup> It was found there was a cost-benefit of \$3.71 for every dollar invested, expressed in reduced injuries for the duration of 30 months after the training. Correspondingly, a study from Canada on manual handling in long-term care facilities reported financial outcomes of the programme.<sup>20</sup> It was established that the benefits resulting from the training were smaller (748 431 Canadian dollars) when compared with costs (894 000 Canadian dollars). However, that relatively modest, incremental cost resulted in the prevention of additional accidents linked to the manual handling of patients.

#### 3.3.2 | PEEs

Among studies categorised as PEE, the majority applied CA (n = 69). CA studies are characterised by information provided for costs

#### TABLE 1 Country and a number of articles

Country	Number of articles
Europe	35
UK	19
France	2
Spain	2
Denmark	1
Finland	1
Germany	1
Italy	1
Козоvо	1
Norway	1
Poland	1
Portugal	1
Serbia	1
Sweden	1
Ireland and UK	1
Multi European (Belgium, England, Netherlands, Poland, Scotland, Spain)	1
North America	64
USA	59
Canada	4
Mexico	1
South America	3
Argentina	1
Chile	1
Guatemala	1
Asia	5
Indonesia	1
Japan	1
Saudi Arabia	1
Taiwan	1
Multi Asian (Bangladesh, Pakistan, Sri Lanka)	1
Africa	5
South Africa	2
Malawi	1
Zambia	1
Multi African (Burundi, Ethiopia, Kenya, Malawi, Mozambique, Rwanda, Tanzania, Uganda, Zambia, and Zimbabwe)	1
Australia	7
Australia	6
Australia and UK	1
Total	119

## TABLE 2 Profession profile

Profession	N (%)
Multiple professions	54 (45)
Nurses	34 (29)
Doctors	23 (19)
Pharmacists	3 (2)
Midwives	2 (2)
Dentists	1 (1)
Genetic councillors	1 (1)
Podiatrists	1 (1)
Total	119 (100)

#### TABLE 3 Categories of the outcomes resulting from CPD activities

Ŭ	0	
Category	N	%
Patient outcomes	51	43
Improved clinical outcomes	19	16
Effectiveness of care	9	8
Improved life quality	9	8
Reduced mortality	5	4
Improved mental health and lifestyle changes	5	4
Reduction in duration of care	2	1.5
Improved patient safety	2	1.5
Practice/behaviour change	38	32
Medication management	16	13
Equipment usage	8	7
Organisational change	5	4
Improvements in communication	1	1
Infectious disease screening	1	1
Healthcare professionals knowledge gain	19	16
Education related	7	6
Efficiency of learning related to modality	4	3
Cost reduction in delivery of education	1	1
Evaluation of dental examination	1	1
Promoting nursing certification	1	1
Healthcare professionals personal health and safety	4	3
Manual handling	2	1.5
Nurses wellness	1	1
Needle stick injury prevention	1	1

Abbreviation: CPD, continuing professional development.

was a training cost reported of £1597 per each of the 27 general practices in Wales (CA-cost description).<sup>21</sup> A study on training to prevent bleeding complications (n = 133 continuing medical education recipients; USA) reported that based on the sensitivity analysis, substantial cost savings were estimated for reoperation bleeding, \$2 233 988 (95% confidence interval [CI], \$1 223 901-\$3 648 719).<sup>22</sup>

exclusively and do not include evidence on financial returns and outcomes.<sup>16</sup> Most often, CA's focus is on cost-description, cost saving or return on investment. For example, in a study encouraging patient engagement in more healthy behaviours (n = 1827 patients), there

#### TABLE 4 Economic evaluation characteristics

Economic evaluation category	N (%)
Cost analysis (PEE)	70 (59)
Cost-effectiveness analysis (FEE)	35 (29)
Cost-benefit analysis (FEE)	8 (7)
Cost-minimization analysis (FEE)	6 (5)
Cost-utility analysis (FEE)	1 (1)

Abbreviations: FEE, full economic evaluation; PEE, partial economic analysis.

Correspondingly, a recent study from the UK examining clinical librarian support in critical hospital care reported monetary benefits expressed in terms of return on investment.<sup>23</sup> Specifically, the librarian's help in academic writing, information search, referencing and proofreading resulted in financial gains (for every £1 invested, a positive return on investment of £1.18–3.03 was obtained).

#### 3.4 | Synthesis of results

The number of studies per country, professional profiles, study outcomes and economic evaluation details was divided across three 4-year periods (Table 5). There is a dominance in the volume of research from North America, mainly the USA; however, this is less explicit for the 2018–2021 period. With regard to professional profile, multiple professions are most prevalent, followed by nurses and doctors, and this pattern is stable across all three time periods presented. Regarding the study results, a similar number of articles with improved patient outcomes and changes in practice were found for the 2010– 2013 period. For the 2014–2021 period, the articles with improved patient outcomes were more frequently identified compared with changes in practice. Regarding the economic characteristics, PEEs are more common compared with FEEs for the 2010–2013 period. A similar trend was noticed for the 2014–2021 period, although the difference in terms of the number of articles is smaller.

# 4 | DISCUSSION

This review highlights the extent, nature and range of literature since 2010 on economic evaluations of CPD activities for healthcare professionals. A significant finding in this review is the noticeably limited number of studies conducting an economic evaluation of CPD in healthcare professionals education. In addition, there was a decrease rather than an increase in the number of studies between 2010 and 2021. It is unknown if the outbreak of the global Covid-19 pandemic in March 2020 contributed to this decrease.<sup>24</sup> The education of healthcare professionals is an area in which a strategic optimisation of limited resources is of the utmost importance.<sup>25</sup> However, we find that almost without exception, there is compelling evidence to suggest an absence of economic evaluation of programmes of education. A variety of potential determinants may have contributed

to this modest volume of research. One possible explanation is that many organisations (e.g. universities or healthcare organisations) that do conduct economic evaluations of their educational activity do this as part of the overall programme evaluation rather than research.<sup>26</sup> Consequently, those conducting the evaluation may not consider publishing their findings. More typically, there are often no mechanisms in educational institutions and healthcare organisations, which require economic evaluations of the educational activities.<sup>25,27</sup> Furthermore, stakeholders involved in the allocation of funding for education may not require economic evaluations to be conducted as part of the programme evaluation to begin with.<sup>28</sup>

#### 4.1 | Outcomes

Patient outcomes were the most frequently observed outcome category, followed by changes in practice or behaviour of healthcare professionals. These findings concur with the results from a scoping review on health professionals' performance and patient outcomes.<sup>29</sup> The authors established that patient outcomes and changes in healthcare professionals' behaviour were most frequently identified among 63 knowledge syntheses included in the review. Concerning the economic evaluations of the studies, PEEs focusing on the costs of CPD programmes were most commonly noted. Perhaps a higher number of identified articles with PEE compared with FEE is due to a relative 'convenience' of focusing exclusively on costs of CPD rather than linking the costs to the outcomes. These findings correspond with results from the systematic review on cost evaluations in health professions education.<sup>10</sup> Only 16 out of 78 studies included in the review applied FEE. Among studies with FEE, a CEA was the most prevalent approach used. CPD activities in healthcare often have an impact on outcomes that are expressed in non-monetary terms, such as reduced mortality, QALY, or decreased hospital stay.

There are a number of components of economic analysis that make it valuable to the broader education community. Conducting economic evaluations of educational activities can lead to more efficient use of educational resources that can reduce the costs associated with accomplishing organisational goals, for example, more effective use of information technology. Economic evaluations can expand what can be achieved in the presence of budget constraints and can also ascertain which investments in education may provide the highest return. A fundamental characteristic of economic analysis that makes the work useful to the broader education community is also the expansiveness of the possible research context. Economic analysis may explore educational<sup>30-32</sup> and economic consequences<sup>33-35</sup> and also career advancement,<sup>35,36</sup> provision of health services<sup>37-39</sup> and population health.<sup>40,41</sup> Such analysis may also investigate an array of patient outcomes, for example, medication adherence, morbidity, quality of life, emotional well-being<sup>21,36,42</sup> and mortality.<sup>43,44</sup> Thus, diversity of scope in an economic analysis increases the value of such research by contributing to a more complete exploration of the education of healthcare professionals, improving overall understanding in the field.<sup>16</sup>

**TABLE 5**Study characteristics acrossthree 4-year periods

Study characteristic	Years N (%) 2010–2013 54 (46)	Years N (%) 2014–2017 39 (33)	Years <i>N</i> (%) 2018–2021 26 (22)
Region	3- (-0)	07 (00)	20 (22)
USA and Canada	30 (25)	22 (18)	11 (9)
Europe	15 (13)	12 (10)	9 (7.5)
Australia	2 (1.5)	1 (1)	3 (2.5)
Africa	2 (1.5)	3 (2.5)	0 (0)
Asia	3 (2.5)	0 (0)	2 (1.5)
Latin America	2 (1.5)	1 (1)	1 (1)
Profession			
Multiple	24 (20)	16 (13)	14 (12)
Nurses	15 (13)	11 (9)	8 (7)
Doctors	12 (10)	8 (7)	3 (2.5)
Other	3 (2.5)	4 (3)	1 (1)
Outcome			
Patient outcomes	22 (18)	18 (15)	14 (12)
Practice/behaviour change	20 (17)	9 (8)	7 (6)
Knowledge gain	7 (6)	8 (7.5)	2 (1.5)
Other	5 (4)	4 (3)	3 (2.5)
Economic evaluation category			
Full economic evaluation	<b>20</b> (17)	<b>18</b> (15)	<b>12</b> (10)
Cost-effectiveness analysis	11 (9)	14 (12)	10 (8)
Cost-benefit analysis	5 (4)	2 (1.5)	1 (1)
Cost-minimisation analysis	4 (3)	1 (1)	1 (1)
Cost-utility analysis	0 (0)	1 (1)	O (O)
Partial economic evaluation	34 (29)	<b>21</b> (18)	<b>14</b> (12)
CA (cost description)	11 (9)	10 (8)	6 (5)
CA (cost saving)	20 (17)	9 (7.5)	6 (5)
CA (return of investment)	3 (2.5)	1 (1)	2 (1.5)
CA (cost consequence)	O (O)	1 (1)	O (O)

Abbreviation: CA, cost analysis.

# 4.2 | Strengths and limitations

An extensive search for articles using five electronic databases and an additional manual search allowed for a broad exploration of knowledge resources. As a result, a relatively high number of included articles were identified which led to a detailed appraisal of the existing evidence. To the best of the authors' knowledge, this is the first scoping review that described the economic impact of CPD programmes across a variety of healthcare professions. Main beneficiaries of the programmes were patients and medical personnel as interventions often led to improved patient outcomes and increased knowledge for healthcare professionals.

Regarding limitations of the included studies, the majority provided incomplete information on educational interventions or training. This lack of details resulted in the inability to differentiate between specific types of interventions and link them with explicit financial outcomes. There is a need to use appropriate methodology to evaluate the economic impact of CPD activities. Studies on economic evaluations of CPD need to capture the key components of the programme including the type of intervention, the healthcare professionals involved, the setting where the intervention occurs, specific details of all the resources used and most importantly a clear identification of the outcomes that the programme hopes to achieve. Finally, the majority of the studies were from countries where English is a primary language. Hence, there may be an over-representation of studies from these countries. The decision to limit the search to research records in English language exclusively was based on the challenge of translating multiple languages and the practical challenges of locating and assessing relevant non-English studies.

# 4.3 | Implications for future research

The authors of this review emphasise the importance of publishing economic evaluations of educational activities. Such evaluations are important irrespective of whether they are related to undergraduate, post-graduate education or CPD. Economic evaluations can be applied to estimate 'value for money' across a variety of outcomes resulting from education. Thus, such evaluations may escape some of the narrower designations of traditional CPD research, providing the opportunity to conduct research with an increased scope of context. For example, it is possible to study educational outcomes and learning objectives and also professional progression, fellowship and residency programmes, financial return, service provision, disease prevention, patient quality of life, morbidity and mortality.<sup>45–48</sup> This will result in breadth of perspective deepening research understanding of this field.

It is vital to promote a research culture that fosters the importance of programme evaluation in the context of health professions education. Economic evaluations are necessary to define success in programmes under resource constraints.<sup>26</sup> In addition, applying evaluations in the health system demonstrates how best to commit resources in order to maximise educational gains following intervention.<sup>16</sup> A more costly intervention may be superior when compared with a cheaper alternative provided it offers substantially more value. Similarly, a less efficient activity may be recognised as offering better value as long as savings are significant.<sup>16</sup> Per review of best practice in the literature, we provide key recommendations for the appropriate conduct of economic evaluations of CPD to support the process of future evaluation (Box 1).<sup>49–51</sup>

Box 1 Key Recommendations for Best Practice in the Conduct of Economic Evaluations of Health Professional Educational Activities

#### **Key Recommendations**

- Studies on economic evaluations of CPD need to capture the key components of the programme including:
  - Detailed description of the educational intervention. (Foo et al. 2019)
  - Healthcare professionals involved.
  - $\circ~$  Setting where the intervention occurs.
  - Specific details of all the resources used. Detailed reporting of all costs involved in the intervention. To facilitate the estimation of costs and costeffectiveness consider using a tool such as: CostOut <sup>®</sup> https://www.cbcsecosttoolkit.org<sup>52</sup>
  - Clear identification of the outcomes that the programme hopes to achieve.
- Prioritise full economic evaluations over partial economic evaluations (Tolsgaard & Cook, 2017).
- Use a reporting guideline such as the CHEERS 2022 statement which provides guidance on reporting of health economic studies (Husereau, 2022).

While not the main focus of this review, a consideration of these results within the wider academic environment (undergraduate and post-graduate education) may provide a broader context for economic evaluation. In the scholarly setting, such evaluations are less common. In a systematic review of economic evaluations of healthcare professions education, it was reported that only three studies in an undergraduate context were evaluated using a FEE compared with two in post-graduate education and 11 for CPD activities.<sup>10</sup> The higher number of identified studies in CPD evaluated by FEE may reflect an assumption that CPD activities more often lead to outcomes in a larger context, for example, improved service provision, patient outcomes or decreased expenditure on medication. Thus, there may be an expectation that such outcomes are less likely to be a result of undergraduate or post-graduate programmes. However, there is unequivocal evidence indicating that the global cost of healthcare education has risen dramatically during prior decades. It was reported that in the last 60 years, the cost of 4 years of medical education in the USA increased more than sevenfold.<sup>53</sup> Moreover, the average debt of graduating students (75% of the overall student population) reached 200 000 dollars. As educational costs continue to rise, access is curtailed. There is thus a practical need to increase access to healthcare education while controlling the rising costs. According to a WHO report in 2016,<sup>54</sup> there was a 7 million shortfall regarding staffing needs in healthcare worldwide in 2013 and by 2030 this shortfall is expected to reach 18 million. Economic evaluation may help to address this issue by supporting the provision of higher education and training for healthcare workers that is demonstrably affordable and effective.

Another concerning observation from the review is the decreasing number of studies conducting economic evaluations of CPD. This is in contrast with the findings from the systematic review on cost evaluations of health professionals' education.<sup>10</sup> A possible explanation for this discrepancy is that the review included research articles published between 2001 and 2016, but only 4 years was scrutinised by the authors (2001. 2006, 2011 and 2016). Hence, the stability or increase in the volume of studies reported should be treated with caution. Another possible explanation of this difference is that the review included studies with pre-graduate and post-graduate education in healthcare and CPD, whereas this review focused exclusively on healthcare professionals' CPD activities. Finally, in the conclusion of the review, it was emphasised that an overall proportion of studies published in specific years did not increase.<sup>10</sup>

The authors of this review emphasise the need to standardise the methods applied in CPD programmes. It is understood that such a process of standardisation requires time, and researchers should be encouraged to identify experts with skills and knowledge in economic evaluations, particularly regarding the design and implementation of CPD programmes. This standardisation is of importance in times of healthcare expenditure cuts and increasing demand in the prioritised allocation of funds in healthcare spending (e.g. ageing populations, global demographic growth and the emergence of Covid-19). Past research evidence supports that need. It was established that health professions education was characterised by lower levels of economic

literacy when compared with the health and biomedical sciences.<sup>10</sup> Specifically, price adjustments in pharmacology, complementary medicine, biomedical sciences, health care multinational trials and reproductive medicine were more commonly reported in comparison with health professions education studies. Analogously, a critical review on the cost-effectiveness of CPD in healthcare indicated a lack of consistency of evidence related to economic evaluations (e.g. cost information or detailed economic analyses).<sup>8</sup> This deficiency limited interpretation of the results and hindered the identification of efficient CPD programmes from which patients could benefit.

# 5 | CONCLUSIONS AND RECOMMENDATIONS

A critical insight to emerge from this review is the paucity of studies conducting an economic evaluation of continuing professional development activities and the absence of a uniform methodology where such studies did take place. The majority of studies included in the review conducted PEE only. The information on the costs of isolated educational interventions or CPD programmes limits the utility of the findings. This type of evaluation does not allow for the identification of how the cost of the intervention may be mirrored in the financial benefits of CPD activities. One of the ways to address this caveat in knowledge could be to design and introduce research questions that emphasise the importance of cost-benefit or cost-effectiveness of CPD programmes. Moreover, there is a need to develop a standardised framework for reporting the economic impact of CPD programmes and activities. The framework could benefit from implementing knowledge derived from health economics and education economics. The combination of resources from those two areas of research could help to improve and extend the study design of CPD programmes. This would enable accurate assessment and appropriate comparisons pertinent to CPD activities in healthcare. Finally, more research evidence is needed regarding 'the value for money' estimates of CPD activities. It is particularly importance due to the rising costs of healthcare globally. A substantial number of studies included in the review did not provide details of the economic evaluations and many reported costs of CPD only.

#### ACKNOWLEDGEMENTS

We would like to acknowledge the assistance of Mr Paul J Murphy from RCSI library for his assistance with the search strategy and Ms Aine Halligan, administrative assistant, Faculty of Nursing and Midwifery, RCSI, for her assistance locating some of the full text articles.

#### CONFLICT OF INTEREST

The authors report no conflict of interest.

# ETHICS STATEMENT

Ethical approval was not obtained for this study as human subjects were not involved in the scoping review.

# AUTHOR CONTRIBUTIONS

WO wrote-up the manuscript and identified studies to be included in the review, searched literature and analysed the results and built the review structure and prepared supplementary materials. GA identified studies to be included, searched literature and prepared supplementary materials. TK revised the manuscript, critically evaluated the gathered evidence, interpreted the results and provided expertise on CPD in healthcare. JB provided expertise on economic evaluations in healthcare and was involved in the manuscript write-up. JW provided expertise on CPD in healthcare, pointed towards important avenues of arguments to be included and critically evaluated the material. PM critically evaluated the gathered evidence, was involved in revision of the initial draft and added important references. MG critically revised the initial draft and provided expertise in the context of nursing and continuing medical education, and he was involved in building a structure of arguments presented in the manuscript. NR was involved in writing the study protocol (study background), searched literature and provided rationale for the review. CGV provided expertise on CPD in healthcare, pointed towards important avenues of arguments to be included in the manuscript and critically evaluated the review content. MLC critically evaluated the manuscript and provided expertise on the topic of CPD in healthcare and its evaluation and offered novel ideas to the study. CF prepared the study protocol, identified research gaps to be addressed, analysed the results, co-ordinated work between the authors and was involved in the manuscript write-up, evaluation, and extraction of the evidence from the databases. All authors give permission to be accountable for all aspects of the work in ensuring that questions related to the accuracy or integrity of any part of the work are appropriately investigated and resolved.

#### DATA AVAILABILITY STATEMENT

The data that support the findings of this study are available in the supporting information of this article.

#### ORCID

Witold Orlik D https://orcid.org/0000-0002-9405-5357 Giuseppe Aleo D https://orcid.org/0000-0002-1306-3364 Cristina García Vivar D https://orcid.org/0000-0002-6022-559X

#### REFERENCES

- World Health Organization. High-level commission on health employment and economic growth: Report of the expert group. 2016.
- Segal L, Marsh C, Heyes R. The real cost of training health professionals in Australia: It costs as much to build a dietician workforce as a dental workforce. J Health Serv Res Policy. 2017;22(2):91-98. doi:10. 1177/1355819616668202
- Starck PL. The cost of doing business in nursing education. J Prof Nurs. 2005;21(3):183-190. doi:10.1016/j.profnurs.2005.04.007
- Johns B, Baltussen R, Hutubessy R. Programme costs in the economic evaluation of health interventions. Cost Eff Resour Alloc. 2003;1(1): 1-10. doi:10.1186/1478-7547-1-1
- Morris S, Devlin N, Parkin D, Spencer A. Principles of economic evaluation in health care. In: *Economic Analysis in Health Care*. 2nd ed. Chichester: John Wiley & Sons; 2012:232-250.

- Vimarlund V, Olve N-G. Economic analyses for ICT in elderly healthcare: Questions and challenges. *Health Informatics J.* 2005; 11(4):309-321. doi:10.1177/1460458205058758
- Tsiachristas A, Stein KV, Evers S, Rutten-van Mölken MMPMH. Performing economic evaluation of integrated care: Highway to hell or stairway to heaven? *Int J Integr Care.* 2016;16(4):1-12. doi:10. 5334/ijic.2472
- Brown C, Belfield C, Field S. Cost effectiveness of continuing professional development in health care: A critical review of the evidence. BMJ. 2002;324(7338):652-655. doi:10.1136/bmj.324.7338.652
- Zendejas B, Wang AT, Brydges R, Hamstra SJ, Cook DA. Cost: The missing outcome in simulation-based medical education research: A systematic review. *Surgery*. 2013;153(2):160-176. doi:10.1016/j.surg. 2012.06.025
- Foo J, Cook DA, Walsh K, et al. Cost evaluations in health professions education: A systematic review of methods and reporting quality. *Med Educ.* 2019;53(12):1196-1208. doi:10.1111/medu.13936
- Levac D, Colquhoun H, O'Brien KK. Scoping studies: Advancing the methodology. *Implement Sci.* 2010;5(1):1-9. doi:10.1186/1748-5908-5-69
- Mays N, Pope C, Popay J. Systematically reviewing qualitative and quantitative evidence to inform management and policy-making in the health field. J Health Serv Res Policy. 2005;10(1\_suppl):6-20. doi: 10.1258/1355819054308576
- Executive Agency for Health Consumers. Study concerning the review and mapping of continuous professional development and lifelong learning for health professionals in the European Union. European Union. Retrieved from European Union. 2013.
- Drummond MF, Sculpher MJ, Claxton K, Stoddart GL, Torrance GW. Methods for the Economic Evaluation of Health Care Programmes Methods for the Economic Evaluation of Health. Methods 2015.
- Tricco AC, Lillie E, Zarin W, et al. PRISMA extension for scoping reviews (PRISMA-ScR): Checklist and explanation. Ann Intern Med. 2018;169(7):467-473. doi:10.7326/M18-0850
- Maloney S, Cook D, Golub R, et al. AMEE Guide No. 123-How to read studies of educational costs. *Med Teach*. 2019;41(5):497-504. doi:10.1080/0142159X.2018.1552784
- Grimes CE, Mkandawire NC, Billingsley ML, Ngulube C, Cobey JC. The cost-effectiveness of orthopaedic clinical officers in Malawi. *Trop Doct*. 2014;44(3):128-134. doi:10.1177/0049475514535575
- Hendrie D, Miller TR, Woodman RJ, Hoti K, Hughes J. Costeffectiveness of reducing glycaemic episodes through community pharmacy management of patients with type 2 diabetes mellitus. J Prim Prev. 2014;35(6):439-449. doi:10.1007/s10935-014-0368-x
- Theis JL, Finkelstein MJ. Long-term effects of safe patient handling program on staff injuries. *Rehabil Nurs.* 2014;39(1):26-35. doi:10. 1002/rnj.108
- Tompa E, Dolinschi R, Alamgir H, Sarnocinska-Hart A, Guzman J. A cost-benefit analysis of peer coaching for overhead lift use in the long-term care sector in Canada. *Occup Environ Med.* 2016;73(5): 308-314. doi:10.1136/oemed-2015-103134
- Butler CC, Simpson SA, Hood K, et al. Training practitioners to deliver opportunistic multiple behaviour change counselling in primary care: A cluster randomised trial. *BMJ*. 2013;346(mar19 3):1-13. doi:10. 1136/bmj.f1191
- Ravyn D, Ravyn V, Lowney R, Ferraris V. Estimating health care cost savings from an educational intervention to prevent bleeding-related complications: The outcomes impact analysis model. J Contin Educ Health Prof. 2014;34 Suppl 1(Supplement 1):S41-S46. doi:10.1002/ chp.21236
- Hartfiel N, Sadera G, Treadway V, Lawrence C, Tudor Edwards R. A clinical librarian in a hospital critical care unit may generate a positive return on investment. *Health Info Libr J.* 2020;38(38):97-112. doi:10. 1111/hir.12332

- World Health Organisation. WHO Director-General's opening remarks at the media briefing on COVID-19 - 11 March 2020 [Press release]. Retrieved from https://www.who.int/director-general/ speeches/detail/who-director-general-s-opening-remarks-at-themedia-briefing-on-covid-19–11-march-2020
- Levin HM, McEwan PJ, Belfield C, Bowden AB, Shand R. Economic Evaluation in Education: Cost-effectiveness and Benefit-Cost Analysis. SAGE publications; 2017. doi:10.4135/9781483396514
- Foo J, Cook DA, Tolsgaard M, et al. How to conduct cost and value analyses in health professions education: AMEE Guide No. 139. *Med Teach*. 2021;43(9):984-998. doi:10.1080/0142159X.2020.1838466
- Schreurs S, Cleutjens K, oude Egbrink MGA. Increasing value in research: Cost evaluations in health professions education. *Med Educ*. 2019;53(12):1171-1173. doi:10.1111/medu.14007
- Foo J, Ilic D, Rivers G, et al. Using cost-analyses to inform health professions education-The economic cost of pre-clinical failure. *Med Teach*. 2018;40(12):1221-1230. doi:10.1080/0142159X.2017. 1410123
- Samuel A, Cervero RM, Durning SJ, Maggio LA. Effect of continuing professional development on health professionals performance and patient outcomes: A scoping review of knowledge syntheses. *Acad Med.* 2021;96(6):913-923. doi:10.1097/ACM.00000000003899
- Knapp H, Chan K, Anaya HD, Goetz MB. Interactive internet-based clinical education: An efficient and cost-savings approach to point-ofcare test training. *Telemed e-Health*. 2011;17(5):335-340. doi:10. 1089/tmj.2010.0187
- Brull S, Finlayson S, Kostelec T, MacDonald R, Krenzischeck D. Using gamification to improve productivity and increase knowledge retention during orientation. JONA: J Nurs Adm. 2017;47(9):448-453. doi: 10.1097/NNA.00000000000512
- Hiltunen AM, Laurila R, Silander K, Kuosmanen T. Cost-Effectiveness of Digital Wound Care Education in a Healthcare Organization. *Stud Health Technol Inform.* 2019;264:1933-1934. doi:10.3233/ SHTI190720
- Pomerantz JI, Toney SD, Hill ZJ. Care coaching: An alternative approach to managing comorbid depression. *Prof Case Manag.* 2010; 15(3):137-142. doi:10.1097/NCM.0b013e3181c00f0f
- Pellegrin KL, Krenk L, Oakes SJ, et al. Reductions in medicationrelated hospitalizations in older adults with medication management by hospital and community pharmacists: A quasi-experimental study. J Am Geriatr Soc. 2017;65(1):212-219. doi:10.1111/jgs.14518
- Hartfiel N, Sadera G, Treadway V, Lawrence C, Tudor Edwards R. A clinical librarian in a hospital critical care unit may generate a positive return on investment. *Health Info Libr J.* 2021;38(2):97-112. doi:10. 1111/hir.12332
- Couch AG, Foo J, James AM, Maloney S, Williams CM. Implementing a podiatry prescribing mentoring program in a public health service: A cost-description study. J Foot Ankle Res. 2018;11(1):1-8. doi:10.1186/ s13047-018-0282-1
- Beinlich N, Meehan A. Resource nurse program: A nurse-initiated, evidence-based program to eliminate hospital-acquired pressure ulcers. J Wound Ostomy Cont Nurs. 2014;41(2):136-141. doi:10. 1097/WON.00000000000001
- Amerine LB, Chen SL, Daniels R, Key N, Eckel SF, Savage SW. Impact of an innovative blood factor stewardship program on drug expense and patient care. Am J Health Syst Pharm. 2015;72(18):1579-1584. doi:10.2146/ajhp140722
- Yau CW, Pizzo E, Morris S, Odd DE, Winter C, Draycott TJ. The cost of local, multi-professional obstetric emergencies training. Acta Obstet Gynecol Scand. 2016;95(10):1111-1119. doi:10.1111/aogs. 12956
- Allo JA, Cuello D, Zhang Y, Reddy SK, Azhar A, Bruera E. Patient home visits: Measuring outcomes of a community model for palliative care education. J Palliat Med. 2016;19(3):271-278. doi:10.1089/jpm. 2015.0275

- Barbosa EC, Verhoef TI, Morris S, et al. Cost-effectiveness of a domestic violence and abuse training and support programme in primary care in the real world: Updated modelling based on an MRC phase IV observational pragmatic implementation study. *BMJ Open*. 2018;8(8):e021256. doi:10.1136/bmjopen-2017-021256
- Ballard C, Corbett A, Orrell M, et al. Impact of person-centred care training and person-centred activities on quality of life, agitation, and antipsychotic use in people with dementia living in nursing homes: A cluster-randomised controlled trial. *PLoS Med.* 2018;15(2):e1002500. doi:10.1371/journal.pmed.1002500
- Jones SL, Ashton CM, Kiehne L, et al. Reductions in sepsis mortality and costs after design and implementation of a nurse-based early recognition and response program. *Jt Comm J Qual Patient Saf.* 2015; 41(11):483-AP3. doi:10.1016/S1553-7250(15)41063-3
- Groot-Jensen S, Kiessling A, Zethraeus N, Björnstedt-Bennermo M, Henriksson P. Cost-effectiveness of case-based training for primary care physicians in evidence-based medicine of patients with coronary heart disease. Eur J Prev Cardiol. 2016;23(4):420-427. doi:10.1177/ 2047487315583798
- de Almeida CV, Belim C. Health professionals' communication competences decide patients' well-being: Proposal for a communication model. In: *Joy.* Emerald Publishing Limited; 2020. doi:10.1108/ S2398-39142020000005014.
- Eacker A. In: Byyny RL, Byyny R, Christensen S, Fish JD, eds. Well-being Definition and Measures in Medical Education. Medical Professionalism Best Practices: Addressing Burnout and Resilience in Our Profession; 2020:91-103.
- Leijten FR, Hoedemakers M, Struckmann V, et al. Defining good health and care from the perspective of persons with multimorbidity: Results from a qualitative study of focus groups in eight European countries. *BMJ Open*. 2018;8(8):e021072. doi:10.1136/bmjopen-2017-021072
- Linton MJ, Dieppe P, Medina-Lara A. Review of 99 self-report measures for assessing well-being in adults: Exploring dimensions of well-being and developments over time. *BMJ Open.* 2016;6(7): e010641. doi:10.1136/bmjopen-2015-010641

- Tolsgaard MG, Cook DA. New roles for cost as an outcome: Opportunities and challenges. *Med Educ.* 2017;51(7):680-682. doi:10.1111/ medu.13328
- Drummond MF, Sculpher MJ, Claxton K, Stoddart GL, Torrance GW. Methods for the Economic Evaluation of Health Care Programmes. Oxford university press; 2015.
- Husereau D, Drummond M, Augustovski F, et al. Consolidated Health Economic Evaluation Reporting Standards 2022 (CHEERS 2022) statement: Updated reporting guidance for health economic evaluations. Int J Technol Assess Health Care. 2022;38(1):e13. doi:10.1017/ S0266462321001732
- Hollands FM, Hanisch-Cerda B, Levin HM, Belfield CR, Menon A, Shand R, Cheng H. CostOut-the CBCSE cost tool kit. Center for Benefit-Cost Studies of Education, Teachers College, Columbia University. 2015. Retrieved from: https://www.cbcsecosttoolkit.org
- Greysen SR, Chen C, Mullan F. A history of medical student debt: Observations and implications for the future of medical education. Acad Med. 2011;86(7):840-845. doi:10.1097/ACM. 0b013e31821daf03
- Darzi A, Evans T. The global shortage of health workers-an opportunity to transform care. *Lancet*. 2016;388(10060):2576-2577. doi:10. 1016/S0140-6736(16)32235-8

#### SUPPORTING INFORMATION

Additional supporting information may be found in the online version of the article at the publisher's website.

How to cite this article: Orlik W, Aleo G, Kearns T, et al. Economic evaluation of CPD activities for healthcare professionals: A scoping review. *Med Educ.* 2022;1-11. doi:10. 1111/medu.14813